
:All of the words: "cationized polysaccharides" Found:: :35 total | 15 journal results | 16 preferred web results | 4 other web results Sort by:: :relevance | date_ Save checked results Email checked results Export checked results Re us ☐ **1.** Publications'[67K] fοι Feb 2003 <u>bio</u> ...Spectrometers Anal. Chem. 69 , 2525-2529 (1997). M. R. Asam G. L. Glish Tandem Mass Spectrometry of Alkali Cationized Polysaccharides in a Quadrupole Ion Trap J. <u>cat</u> Amer. Soc. Mass Spectrom. 8, 987 (1997). R. W. Vachet B. M. Bishop B. W. Erickson... col [http://www.unc.edu/depts/massspec/glgpubsc.html] col similar results <u>dis</u> 2. Tandem Mass Spectrometry of Alkali Cationized Polysaccharides in a Quadrupole Ion Trap ele - Techniques and Applications of... ga: Asam, M.R. / Glish, G.L., Journal of the American Society for Mass Spectrometry, 8 <u>ma</u> (9), p.987-995, Sep 1997 pol Tandem Mass Spectrometry of Alkali Cationized Polysaccharides in a Quadrupole Ion Trap Michael R. Asam...mass spectrometry (MS,/MS) [7] of lithium cationized pol polysaccharides to direct fragmenta- tions under low-energy... <u>qu</u>: Published journal article available from ScienceDirect <u>qu</u>: view all 15 results from ScienceDirect <u>sp€</u> similar results <u>sp€</u> **3.** A model of flocculation <u>tra</u> Brostow, W. / Pal, S. / Singh, R.P. , Materials Letters, 61 (22), p.4381-4384, Sep Or Αl ...demonstrated in the laboratory of one of us that cationized polysaccharides have higher flocculation efficacy than the...flocculation efficacy, we have investigated several cationized polysaccharides - all with higher efficacies than the uncationized... F Published journal article available from ScienceDirect view all 15 results from ScienceDirect similar results 4. Study on the oligosaccharides composition of the water-soluble fraction of marine mucilage by electrospray tandem mass... Cappiello, A. / Trufelli, H. / Famiglini, G. / Pierini, E. / Capellacci, S. / Penna, **A.** / **Ricci, F.** / (...) / **Penna, N.** , Water Research, 41 (13), p.2911-2920, Jul 2007 ...Chim. Acta 529 2005 129 136 Asam and Glish, 1997 M.R. Asam G.L. Glish Tandem mass spectrometry of alkali cationized polysaccharides in a quadrupole ion trap J. Am. Soc. Mass Spectrom. 8 1997 987 995 Azam et al., 1999 F. Azam S. Fonda Umani... Published journal article available from ScienceDirect view all 15 results from ScienceDirect similar results ☐ 5. DETERGENT COMPOSITION YAMAGUCHI, JUNSHI (KANEBO COSMETICS INC), PATENT ABSTRACTS OF JAPAN, Sep 2005 patno:JP2005239558 ... over a long period. SOLUTION: This detergent composition is characterized as comprising (A) a methacrylpropyltimethylammonium-derived polymer, (B) a dimethyldiallylammonium-derived polymer, (C) cationized polysaccharides and (D) a surfactant. Full text available at patent office. For more in-depth searching go to LexisNexis view all 16 results from Patent Offices

Searched for::

	similar results
6.	DETERGENT COMPOSITION YAMADA, KEN / HAYASHI, TSUYOSHI (SHISEIDO CO LTD), PATENT ABSTRACTS OF JAPAN, Sep 2005 patno:JP2005232140polymerization, (b) ≥2 kinds of cationized water soluble polymers (preferably containing ≥2 kinds of any of cationized polysaccharides, especially cationized guar gum, cationized locust bean gum and cationized hydroxyethylcellulose) and (c Full text available at patent office. For more in-depth searching go to LexisNexisview all 16 results from Patent Offices similar results
7.	Use of a Double Resonance Electron Capture Dissociation Experiment to Probe Fragment Intermediate Lifetimes Lin, C. / Cournoyer, J.J. / O'Connor, P.B., Journal of the American Society for Mass Spectrometry, 17 (11), p.1605-1615, Nov 2006 The relative abundances of fragment ions in electron capture dissociation (ECD) are often greatly affected by the secondary and tertiary structures of the precursor ion, and have been used to derive the gas-phase conformations of the Published journal article available from ScienceDirect view all 15 results from ScienceDirect
8.	<u>Cumulative Subject index</u> <u>Journal of the American Society for Mass Spectrometry</u> , 16 (12), p.515-646, Dec 2005 See Atmospheric pressure; High performance liquid chro- matography/atmospheric pressure microwave-induced plasma ionization MS. AP MALDI. Published journal article available from ScienceDirect view all 15 results from ScienceDirect
9.	Cumulative Author Index Journal of the American Society for Mass Spectrometry, 16 (12), p.433-514, Dec 2005Ki- netics of a Transient Intermediate, 10:119 Asam, M.R., Glish, G.L.: Tandem Mass Spectrometry of Alkali Cationized Polysaccharides in a Quadrupole Ion Trap, 8:897 Asano, A.F. See Glish, G.L. Asano, K.G. See Van Berkel, G.J. Asara, J.M Published journal article available from ScienceDirect view all 15 results from ScienceDirect similar results
10.	Determination of the glycosylation site of flavonoid monoglucosides by metal complexation and tandem mass spectrometry Davis, B.D. / Brodbelt, J.S., Journal of the American Society for Mass Spectrometry, 15 (9), p.1287-1299, Sep 2004 Metal complexation and tandem mass spectrometry were used to differentiate C- and O-bonded flavonoid monoglucoside isomers. Electrospray ionization of solutions containing a flavonoid glycoside and a metal salt led to the generation of Published journal article available from ScienceDirect view all 15 results from ScienceDirect similar results
11.	Gas-phase dissociation pathways of multiply charged peptide clusters Jurchen, J.C. / Garcia, D.E. / Williams, E.R. , Journal of the American Society for Mass Spectrometry, 14 (12), p.1373-1386, Dec 2003 Numerous studies of cluster formation and dissociation have been conducted to determine properties of matter in the transition from the condensed phase to the gas phase using materials as diverse as atomic nuclei, noble gasses, metal



1	.7.	Quadrupole ion trap mass spectrometry: a view at the turn of the century March, R.E., International Journal of Mass Spectrometry, 200 (1), p.285-312, Dec 2000
		A personal account of the quadrupole ion trap researches carried out in my laboratory and in collaboration with other laboratories. This account commences with the announcement, in 1983, of the first commercially available ion trap Published journal article available from ScienceDirect
		view all 15 results from ScienceDirect similar results
1	.8.	Structural Elucidation of Zwitterionic Sugar Cores from Glycosphingolipids by Nanoelectrospray Ionization-Ion-Trap Mass Friedl, C.H. / Lochnit, G. / Geyer, R. / Karas, M. / Bahr, U. , Analytical Biochemistry, 284 (2), p.279-287, Sep 2000chromatography Biomed. Chromatogr. 4 1990 193 199 24 Asam M. R. Glish G. L.
		Tandem mass spectrometry of alkali cationized polysaccharides in a quadrupole ion trap Am. Soc. Mass Spectrom. 8 1997 987 995 25 Domon B. Costello C. A systematic nomenclature
		Published journal article available from ScienceDirect
		view all 15 results from ScienceDirect similar results
	9.	Cationic polysaccharide compositions Domb, Abraham J. (Polygene Ltd.), EUROPEAN PATENT APPLICATION, Jul 2002 patno:EP1222926polycations have been reported to induce gene expression for example diethylaminoethyl dextran and other cationized polysaccharides [F.D. Ledley, Huiman Gene Therapy, 6, 1129, 1995; Yamaoka et al. Chemistry Letters, 1171-72, 1998]. These
		Full text available at patent office. For more in-depth searching go to view all 16 results from Patent Offices similar results
	20.	Matsuo, Takashi / Miyabe, Hajime / Shibata, Yutaka (KAO Corporation), UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Dec 2006 patno:US7147668 Carbide Corp.), and "Celquat H-100" and "Celquat L200" (products of National Starch and Chemical Company); cationized polysaccharides [as commercial products, "Jaguar C-135", "Jaguar C-145", "Jaguar C-17", "Jaguar C-162", "Jaguar C-210" and Full text available at patent office. For more in-depth searching go to LexisNexisview all 16 results from Patent Offices similar results